

## Abrasive products for floor sanding



# Genuine STARCKE. Since 1829.



## EXCELLENCE IS NOT A MATTER OF CHANCE

**A**brasives from STARCKE are typical “Made in Germany” quality. For customers and partners world-wide, this means they can rely on a top supplier for professional abrasives in industry, manufacturing and trade. We offer efficient solutions to ensure perfect results in all lines of industry and areas of application.

**T**he STARCKE organization is an independent, medium-sized, fourth-generation and family-run business that ranks among the leading suppliers of quality abrasives. For more than a century, STARCKE

abrasive cloths and papers have been used to give the required finish to a wide range of different products, ensuring top-quality results.

**Q**uality is one of our top priorities and is continually reviewed. This involves inspecting each batch and documenting the results. An ISO 9001 certified organization, STARCKE offers innovative products for sanding applications in the flooring industry.

## OUR EXPERTISE IN PARQUET FINISHING

We are the specialists for perfect surfaces in belt, disc, and edge sanding applications.

### Your advantages:

- The right abrasive tool for every application
- A comprehensive range of products
- Consistent product quality “Made in Germany”
- Swift and dependable delivery
- Customized consultation by our applications engineers, field and office staff



# EXPERTISE IN PARQUET APPLICATIONS

Your partner for all sanding applications in the flooring industry



1.

Abrasives for belt sanders



2.

Abrasives for single /  
multi-disc sanders



3.


Abrasives for edge sanders

# BELT SANDERS




## ARTICLE NO. 341 X

Backing	Heavy X-weight cotton fabric
Bonding	Resin over resin
Grain type	Zirconia
Grits	24, 36, 40, 60, 80, 100, 120
Dimensions	200 x 750 mm, 250 x 750 mm
Areas of application	New flooring / old floor refinishing
Suitable for	Hardwood and softwood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Extremely high abrasive performance</li> </ul>



## ARTICLE NO. 341 XP

Backing	Heavy X-weight cotton/polyester fabric blend
Bonding	Resin over resin
Grain type	Zirconia
Grits	24, 36, 40, 60, 80, 100, 120
Dimension	200 x 750 mm
Areas of application	New flooring / old floor refinishing
Suitable for	Hardwood and tropical wood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Very durable backing</li> <li>– Extremely high abrasive performance</li> </ul>





#### ARTICLE NO. 041 XP

Backing	Heavy X-weight cotton/polyester fabric blend
Bonding	Resin over resin
Grain type	Ceramic
Grits	36, 60, 80
Dimension	200 x 750 mm
Areas of application	New flooring / old floor refinishing
Suitable for	Hardwood
Benefits	<ul style="list-style-type: none"> <li>– Optimized belt life</li> <li>– Very heavy duty applications</li> <li>– Self-sharpening effect</li> </ul>



#### ARTICLE NO. 543 X – 641 X

Backing	Heavy X-weight cotton fabric
Bonding	Resin over resin
Grain type	Aluminum oxide
Grits	543 X: P 16, P 24, P 36 641 X: P 40, P 50, P 60, P 80, P 100, P 120
Dimensions	200 x 480 mm, 200 x 551 mm, 200 x 750 mm, 250 x 750 mm
Areas of application	New flooring / old floor refinishing
Suitable for	Hardwood and softwood
Benefits	<ul style="list-style-type: none"> <li>– Durable cloth backing</li> <li>– Excellent price-performance ratio</li> </ul>



# BELT SANDERS



## ARTICLE NO. 943 X

Backing	Heavy X-weight cotton fabric
Bonding	Resin over resin
Grain type	Silicon carbide
Grits	P 12
Dimensions	200 x 551 mm, 200 x 750 mm
Areas of application	Refinishing
Suitable for	Hardwood, "barn red" floor paint, concrete and floor screed
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– High abrasive performance</li> <li>– Sharp-edged and hard abrasive grain</li> </ul>



## ARTICLE NO. 942 XP – 942 XYP

Backing	Heavy, durable X- or XY-weight polyester fabric
Bonding	Resin over resin
Grain type	Silicon carbide
Grits	942 XYP: P 24, P 30, P 40 942 XP: P 50, P 60, P 80, P 100, P 120
Dimensions	200 x 551 mm, 200 x 750 mm
Areas of application	Refinishing
Suitable for	Hardwood, "barn red" floor paint, concrete and floor screed
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– High abrasive performance</li> <li>– Sharp-edged and hard abrasive grain</li> </ul>





# CYLINDER SANDERS



## ARTICLE NO. 543 X – 732 E

Backing	543 X: Heavy X-weight cotton fabric 732 E: Strong E-paper
Bonding	Resin over resin
Grain type	Aluminum oxide
Grits	543 X: P 16 732 E: P 24, P 36, P 40, P 60, P 80, P 100, P 120
Dimension	200 x 50.000 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"><li>– Long service life</li><li>– Excellent price-performance ratio</li><li>– Prevents quick clogging</li></ul>



# SINGLE DISC SANDERS



## ARTICLE NO. 943 XX

Backing	Heavy X-weight cotton fabric, double-sided
Bonding	Resin over resin
Grain type	Silicon carbide
Grits	P 12, P 16
Dimensions	D 375 mm x 40 mm D 400 mm x 25 mm D 430 mm x 25 mm
Areas of application	Refinishing
Suitable for	All types of wood, floor screed and spackle
Benefits	<ul style="list-style-type: none"> <li>– Very durable backing</li> <li>– Sharp-edged abrasive grain</li> <li>– Long service life</li> </ul>



## ARTICLE NO. 943 FF – 942 EE

Backing	943 FF: Sturdy F-paper, double-sided 942 EE: Strong E-paper, double-sided
Bonding	Resin over resin
Grain type	Silicon carbide
Grits	943 FF: P 16, P 24 942 EE: P 30, P 36, P 40, P 50, P 60, P 80, P 100, P 120
Dimensions	D 375 mm x 40 mm D 400 mm x 25 mm D 430 mm x 25 mm
Areas of application	New flooring / old floor refinishing
Suitable for	All types of wood, floor screed and spackle
Benefits	<ul style="list-style-type: none"> <li>– Sharp-edged abrasive grain</li> <li>– Long service life</li> </ul>







#### MESH DISCS

Backing	Nylon
Grain type	Silicon carbide
Grits	60, 80, 100, 120, 150, 180
Dimension	D 410 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– High tear resistance</li> <li>– Low dust generation</li> <li>– Long belt life</li> </ul>



# MULTI-DISC SANDERS



## ARTICLE NO. 341 XK

Backing	Heavy X-weight cotton fabric
Fastening	Velcro
Bonding	Resin over resin
Grain type	Zirconia
Grits	24, 36, 40, 60, 80, 100, 120
Dimension	D 150 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	Hardwood and softwood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Extremely high abrasive performance</li> </ul>



## ARTICLE NO. 543 XK – 732 EK

Backing	543 XK: Heavy X-weight cotton fabric 732 EK: Strong E-paper
Fastening	Velcro
Bonding	Resin over resin
Grain type	Aluminum oxide
Grits	543 XK: P 16 732 EK: P 24, P 36, P 40, P 50, P 60, P 80, P 100, P 120, P 150
Dimensions	D 150 mm, 180 mm, 200 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Excellent price-performance ratio</li> <li>– Prevents quick clogging</li> </ul>





#### ARTICLE NO. 943 FK – 942 EK

Backing	943 FK: Durable F-paper 942 EK: Strong E-paper
Fastening	Velcro
Bonding	Resin over resin
Grain type	Silicon carbide
Grits	943 FK: P 16, P 24 942 EK: P 36, P 40, P 50, P 60, P 80, P 100, P 120
Dimensions	D 150 mm x 8 mm D 178 mm x 22 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Sharp-edged abrasive grain</li> <li>– Long service life</li> </ul>





# EDGE SANDERS



## ARTICLE NO. 543 X – 732 E

Backing	543 X: Heavy X-weight cotton fabric 732 E: Strong E-paper
Bonding	Resin over resin
Grain type	Aluminum oxide
Grits	543 X: P 16 732 E: P 24, P 36, P 40, P 60, P 80, P 100, P 120
Dimensions	D 150 mm x 12 mm D 180 mm x 22 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Excellent price-performance ratio</li> <li>– Prevents quick clogging</li> </ul>



## ARTICLE NO. 543 XK – 732 EK


Backing	543 XK: Heavy X-weight cotton fabric 732 EK: Strong E-paper
Fastening	Velcro
Bonding	Resin over resin
Grain type	Aluminum oxide
Grits	543 XK: P 16 732 EK: P 24, P 36, P 40, P 50, P 60, P 80, P 100, P 120
Dimensions	D 150 mm, 180 mm, 200 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Excellent price-performance ratio</li> <li>– Prevents quick clogging</li> </ul>





#### ARTICLE NO. 041 XPK

Backing	Heavy X-weight cotton/polyester fabric blend
Fastening	Velcro
Bonding	Resin over resin
Grain type	Ceramic
Grits	36, 60, 80
Dimension	D 150 mm
Areas of application	Pre-sanding and interim sanding
Suitable for	Hardwood
Benefits	<ul style="list-style-type: none"> <li>– Optimized belt life</li> <li>– Very heavy duty applications</li> <li>– Self-sharpening effect</li> </ul>



# EDGE SANDERS



## ARTICLE NO. 341 XK

Backing	Heavy X-weight cotton fabric
Fastening	Velcro
Bonding	Resin over resin
Grain type	Zirconia
Grits	24, 36, 40, 60, 80, 100, 120
Dimension	D 150 mm
Areas of application	Interim sanding and final finishing
Suitable for	Hardwood and softwood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Extremely high abrasive performance</li> </ul>



## ARTICLE NO. 943 FK – 942 EK

Backing	943 FK: Durable F-paper 942 EK: Strong E-paper
Fastening	Velcro
Bonding	Resin over resin
Grain type	Silicon carbide
Grits	943 FK: P 16, P 24 942 EK: P 36, P 40, P 50, P 60, P 80, P 100, P 120
Dimensions	D 150 mm x 8 mm D 178 mm x 22 mm
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Sharp-edged abrasive grain</li> <li>– Long service life</li> </ul>





# DELTA SANDERS



## ARTICLE NO. 514 DK – 514C2K

Backing	514 DK: Sturdy D-paper, high tear resistance 514 C2K: Flexible latex C-paper
Fastening	Velcro
Bonding	514 DK: Resin over resin 514 C2K: Resin over resin with stearate coating
Grain type	Aluminum oxide
Grits	514 DK: P 40, P 60, P 80, P 100, P 120 514 C2K: P 150
Dimensions	88 x 93 mm 88 x 95 mm 100 x 150 mm
Areas of application	Hard-to-access corners
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Designed for all commercially available sanders</li> <li>– Optimized price-performance ratio</li> <li>– Easy to use</li> </ul>



## ARTICLE NO. 732 EK

Backing	Strong E-paper
Fastening	Velcro
Bonding	Resin over resin
Grain type	Aluminum oxide
Grits	P 24, P 40, P 60, P 80, P 100, P 120
Dimension	83 mm x 83 mm
Areas of application	Hard-to-access corners
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Designed for all commercially available sanders</li> <li>– Optimized price-performance ratio</li> <li>– Easy to use</li> </ul>



STARCKE GmbH & Co. KG  
Markt 10  
D-49324 Melle  
Phone +49 (0) 54 22 966-0  
Telefax +49 (0) 54 22 966-301  
info@starcke.de  
www.starcke.de